



Eco Friendly

LIGHT MORE, PAY LESS

BULB

CATALOGUE

VISUAL INDEX



LITST45-6
p. 9



LITST58-6
p. 10



LITST64
p. 11



LITST64-8
p. 12



LITG4
p. 13



LITG9-5
p. 14



LITG9-3
p. 15




LITE11-5
p. 16



LITGU10-7
p. 17



LITA19-8-30K-DD
p. 18



LITA19-8-30K-PIR
p. 19



LITA19-9-30K-ER
p. 20



LITC35-4W
p. 27



LITC35-6W
p. 22



LITC35-6-3000KM
p. 23



LITG16
p. 24



LITG16 Opal
p. 25



LITA19-6
p. 26



LITA19-8
p. 27



LITA19-10W
p. 28



LITT20-6
p. 29



LITT30-4
p. 30



LITT30-6
p. 31



LITT309
p. 32



LITT45-4
p. 33



LITT45-4
p. 34



LITG25-6
p. 35



LITG25-8
p. 36



LITG40-6
p. 37



LITG40-8
p. 38

Amazing Facts about LED Light Bulbs



- An Incandescent lamp converts about 10% of the energy into Light, Whereas LED, Converts almost 80% to 90 % of the energy they consume as light
- LED'S contain no mercury, and the majority of the LED's bulbs are recyclable. On the other hand, CFL bulbs contain mercury and create a large portion of electronic waste due to their design.
- Most of the residential /commercial LEDs lamp manufacturers claim 30,000 to 50,000 Hrs. Incandescent lamps have a lifespan of 1000Hrs, and CFL have a life span of about 10,000Hrs
- The U.S Department of Energy estimates that the widespread adoption of LEDs in residential and commercial applications over the next 20 years will save about \$200+ billion and prevent the need to construct approximately 40 new power plants, and reduce the electricity demand of lighting by 33%.
- LED bulbs are not subject to severe damage from external shock. However, if CFL is damaged, mercury decontamination procedures are recommended by EPA.
- If the entire United States replaced 50% of the existing Incandescent Christmas lights around the holidays with LED bulbs, the potential energy cost saving would be approximately US\$17 billion.
- Switch to an LED bulb on the porch, and you will notice considerably fewer bugs. Incandescent lamps and CFL's produce ultraviolet and infrared radiation, which attracts bugs
- LED lamps have Instant ON; when you switch on the LED lamp, you get the full brightness of that light Instantly. Unfortunately, incandescent lamps and CFLs experience significantly reduced lamp life if switched off and back on frequently.
- The Lighting industry as a whole is pushing LEDs to replace incandescent sources in a variety of applications, but the first time that LED's did displace the incandescent lamps was in vehicle brake lights, Signal Lights and Traffic lights in 1987.



- **The higher the bulb wattage, the brighter the bulb will be**

Incandescent bulbs follow this Myth, but the emergence of more efficient lighting has blown this idea. LED bulbs at lower wattages while producing the same brightness.

- **Energy-efficient bulbs are only available in those funny looking spiral-shaped compact fluorescent**

Most of the LED bulbs options available today mimic the same traditional incandescent bulb shape.

- **It is not worth replacing traditional bulbs with energy-efficient ones due to increased cost.**


Choosing a more energy-efficient light source can result in significant savings. In addition, you can see a substantial difference in your electric bill by simply making the switch.

- **LED bulbs are not Dimmable**

Power supply and Dimmers have rapidly adapted LED market in the past five years. It is now possible to achieve the same level of dimming in LED bulbs as the traditional bulbs




CRI COLOR RENDERING INDEX

CRI or colour rendering index Ra measures how well a given light source will render colour. CRI is represented by a number on a scale from 0 to 100, with 0 being “poor” and 100 being “excellent”. The lower the number, the more distorted a colour will look under the light source



Lumen Scale

To measure the brightness of the lamp, it is measured in Lumens. It is easy to remember. More lumens = More light. The table below shows the lumens based on the wattage for different

BULB BRIGHTNESS		450 LUMENS	800 LUMENS	1100 LUMENS	1600 LUMENS	2600 LUMENS	5800 LUMENS
	LED	6W	9 - 10W	13W	16 - 18W	24W <small>SPECIAL HIGH VOLTAGE LAMPS</small>	45W
	CFL	8 - 9W	13 - 14W	18 - 19W	23W	40W	85W
	Regular INCANDESCENT	40W	60W	75W	100W	150W	300W
	Halogen	29W	43W	53W	72W	150W	300W


Types of bulbs

Correlated colour temperature (CCT): Warm or Cool

Colour appearance, also known as Correlated colour temperature CCT, measures how warm or cool a light source appears to the human eye. It is measured in Kelvin.

The majority of light sources have kelvin temperatures within the range of 2700k to 6500K. As a point of reference, daylight at noon has a kelvin temperature of 5000K. Incandescent light source typically ranges from 2700-3500K. CFL and LEDs can range from 2700-6500k. The higher the Kelvin temperature, the cooler the light source appears, and the lower the colour Kelvin temperature, the warmer the light source appears

Colour temperature application and Scale



Glossary

- **Average rated life**

The life of an Led is defined as the operating time in hours for the lamp to reach L70, which designates 70% Lumen maintenance or 30% reduction in the initial output. Every lamp type has a unique mortality curve that depicts its average rated life.

- **Color Rendering Index (CRI)**

A lamp's ability to render an object's actual colour based on a scale of 100

- **Efficacy**

A measurement of how effective a light source is in converting electrical energy to lumens of visible light. It is expressed in Lumens per Watt (LPW)

- **Initial Lumens**

The measured Luminous output of a new light source

- **Light Pollution**

Light is directed to areas where it is not needed and thereby interferes with some visual act. Light Pollution produced or reflected into the sky creates a dome of wasted light and makes it difficult to see stars above the cities

- **Lumen (lm)**

A measure of luminous flux or quantity of light emitted by a source.

- **Lumen depreciation**

The gradual decline in light output from a light source over time is due to filament deterioration and bulb darkening.


- **Lumen Maintenance**

A measurement of how a lamp maintains its light output over time

BULB TYPE: ST45/ST17

SIZE

H=4.5"
D=1.88"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITST45-6-3000K	6	110-120	600±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITST45-6-4000K	6	110-120	600±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR
LITST45-6-5000K	6	110-120	600±10%	E26	90+	YES	5000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: ST58/ST18

SIZE:

H=5.27"
D=2.2"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITST58-6-3000K	6	110-130	600	E26	90	YES	3000K	5YRS/ 20000HRS	CLEAR
LITST58-6-4000K	6	110-130	600	E26	90	YES	4000K	5YRS/ 20000HRS	CLEAR
LITST58-6-5000K	6	110-130	600	E26	90	YES	5000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 60 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: ST64/ST21

SIZE:

H=5.54"
D=2.21"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITST64-6-3000K	6	110-120	600±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITST64-6-4000K	6	110-120	600±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR
LITST64-6-5000K	6	110-120	600±10%	E26	90+	YES	5000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: ST64 /ST21

SIZE:
H=5.59"
D=2.21"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITST64-8-2700K	8	110-120	800±10%	E26	90+	YES	2700K	5YRS/ 25000HRS	CLEAR
LITST64-8-3000K	8	110-120	800±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITST64-8-4000K	8	110-120	800±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITST64-8-5000K	8	110-120	800±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	CLEAR


- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: 5W, G4

SIZE:
H=1.65"
D=0.67"



Suitable for an enclosed fixture for 8Hrs at a time




ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG4-5-30K	5	12V	480±10	G4	80+	YES	3000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 2YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: 5W, G9

SIZE:
H=2.2"
D=0.75"




Suitable for enclosed fixture maximum of 8hrs at time

ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG9-5-30K	5	120	520-550	G9	80+	YES	3000K	3YRS/ 12000HRS	CLEAR
LITG9-5-40K	5	120	520-550	G9	80+	YES	4000K	3YRS/ 12000HRS	CLEAR
LITG9-5-50K	5	120	520-550	G9	80+	YES	5000K	3YRS/ 12000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 2YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: 3W, G9

SIZE:
H=2.0"
D=0.63"




Suitable for enclosed fixture maximum of 8hrs at time

ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG9-3-30K	3	120	330-350	G9	80+	YES	3000K	3YRS/ 12000HRS	CLEAR
LITG9-3-40K	3	120	330-350	G9	80+	YES	4000K	3YRS/ 12000HRS	CLEAR
LITG9-3-50K	3	120	330-350	G9	80+	YES	5000K	3YRS/ 12000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 2YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: E11, 5W


SIZE:
H=2.2 "
D=0.75 "



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITE11-5-3000K	5	110-120	600	E12	90+	YES	3000K	5YRS/ 12000HRS	CLEAR

SUITABLE FOR AN ENCLOSED FIXTURE FOR MAXIMUM 8 HRS. AT A TIME.
 DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
 COMMERCIAL WARRANTY: 3YRS
 WARRANTY IS LIMITED TO PARTS ONLY.
 CASE QTY: 100 PCS
 BOX PACK: SINGLE PACK

BULB TYPE: GU10, 7W, 38 DEGREES



SUITABLE FOR AN ENCLOSED
FIXTURE FOR MAXIMUM 8 HRS. AT A TIME.
IT REDUCES THE LIFE SPAN.

ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITGU10-7-3000K	7	110-120	600±10%	GU10	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITGU10-7-4000K	7	110-120	600±10%	GU10	90+	YES	4000K	5YRS/ 20000HRS	CLEAR

-DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .

-COMMERCIAL WARRANTY: 3YRS

-WARRANTY IS LIMITED TO PARTS ONLY.

-CASE QTY: 100 PCS

-BOX PACK: SINGLE PACK

BULB TYPE: A19 / DUSK TO DAWN

SIZE:
H=4.65"
D=2.36"



- The bulb turns on automatically in a dark area or dusk (≤ 30 Lux)
- The bulb turns off automatically in Dawn when the lux is ≥ 70

Application: Outdoor wall light, Street Light, Balconies, Courtyard, Parks, and Parking lots

ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LIT A19-8-30KDD	8	110-240	800-810	E26	80+	N/A	3000K	10,000 HRS	OPAL

- DIMMERS: NOT APPLICABLE
- COMMERCIAL WARRANTY: 10,000HRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: A19/MOTION SENSOR



SIZE:
H=4.65"
D=2.36"



- The bulb only works in Dark area or in Dusk (≤ 60 Lux)
- The bulb turns on automatically if there is any object movement in sensor area and turns off automatically if there is no object movement in sensor area
- Detective Distance 7-10M , Time delay 30s /45s

Applications : Hallway , Garage , Washrooms , Basement , Garden , Laundry room ,Patio , Closet , Porch , Stairways and Storeroom

ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LIT A19-8-30KPIR	8	110-240	800-810	E26	80+	N/A	3000K	10,000 HRS	OPAL

- DIMMERS: NOT APPLICABLE
- COMMERCIAL WARRANTY: 10,000HRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: A19 EMERGENCY RECHARGEABLE BULB



SIZE:

H=4.65"
D=2.36"



FUNCTIONS

- Use as regular led bulb
- Use as emergency led bulb during power outage
- Use as portable led night or torch with power cap or plug cup

INSTRUCTIONS

- Simply insert the bulb into E26/E27 lamp fixture, same as using regular led bulb.
- The build-in lithium ion battery will activate to work when there is power failure.
- The light bulb is charging when it is on in 120V/20V voltage, will stop charging when it is fully charged.
- Will not work in multi-bulb fixture or ceiling fan lamp or with dimmer.

ORDER CODES	WATTS	VOLT	LUMENS/DC	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITA19-9-30K-ER	9	110-240	800/500	E26	80+	N/A	3000K	3YRS/ 10000HRS	OPAL
LITA19-9-50K-ER	9	110-240	800/500	E26	80+	N/A	5000K	3YRS/ 10000HRS	OPAL

- DIMMERS: NOT APPLICABLE
- COMMERCIAL WARRANTY: 10,000HRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: C35, 4W



SIZE:
H=3.95"
D=1.37"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITC35-4-2700K	4	110-120	400-420	E12	80+	YES	2700K	5YRS/ 25000HRS	CLEAR
LITC35-4-3000K	4	110-120	400-420	E12	80+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITC35-4-4000K	4	110-120	400-420	E12	80+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITC35-4-5000K	4	110-120	400-420	E12	80+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: C35, 6W

SIZE:
H=3.85"
D=1.37"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITC35-6-2700K	6	110-120	600±10%	E12	90+	YES	2700K	5YRS/ 25000HRS	CLEAR
LITC35-6-3000K	6	110-120	600±10%	E12	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITC35-6-4000K	6	110-120	600±10%	E12	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITC35-6-5000K	6	110-120	600±10%	E12	90+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: C35, 6W



SIZE:
H=3.85 "
D=1.37 "



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITC35-6-3000KM	6	110-120	600±10%	E12	90+	YES	3000K	5YRS/ 25000HRS	MILKY

DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .

COMMERCIAL WARRANTY: 3YRS
WARRANTY IS LIMITED TO PARTS ONLY.

CASE QTY: 100 PCS
BOX PACK: SINGLE PACK

BULB TYPE: G16, 6W

SIZE:
H=3" "
D=1.77"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG16-6-3000K	6	110-120	600±10%	E12	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITG16-6-4000K	6	110-120	600±10%	E12	90+	YES	4000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 2YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: G16, OPAL

SIZE:
H= 3"
D= 1.77"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG16-6-3000K	6	110-120	600±10%	E12	90+	YES	3000K	5YRS/ 25000HRS	OPAL
LITG16-6-4000K	6	110-120	600±10%	E12	90+	YES	4000K	5YRS/ 25000HRS	OPAL

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: A19 / 6W



SIZE:
H=4.25"
D=2.36"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITA19-6-2700K	6	110-120	600±10%	E26	90+	YES	2700K	5YRS/ 25000HRS	CLEAR
LITA19-6-3000K	6	110-120	600±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITA19-6-4000K	6	110-120	600±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITA19-6-5000K	6	110-120	600±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: A19 / 8W

SIZE:
H=4.25"
D=2.36"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITA19-8-2700K	8	110-120	800±10%	E26	90+	YES	2700K	5YRS/ 25000HRS	CLEAR
LITA19-8-3000K	8	110-120	800±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITA19-8-4000K	8	110-120	800±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITA19-8-5000K	8	110-120	800±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: A19/10W

SIZE:

H=4.25"

D=2.36"




ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITA19-10-3000KM	10	110-120	900±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	MILKY WHITE GLASS
LITA19-10-4000KM	10	110-120	900±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	MILKY WHITE GLASS
LITA19-10-5000KM	10	110-120	900±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	MILKY WHITE GLASS

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING.
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: T20, 6W

SIZE:
H=3.35"
D=0.78"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITT20-6-3000K	6	110-120	600	E12	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITT20-6-4000K	6	110-120	600	E12	90+	YES	4000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: T30/T10

SIZE:

H=7.28"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITT30-4-3000K	4	110-120	400±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITT30-4-4000K	4	110-120	400±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITT30-4-5000K	4	110-120	400±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: T30/T10

SIZE:

H=7.28"




ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITT30-6-3000K	6	110-120	600±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITT30-6-4000K	6	110-120	600±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITT30-6-5000K	6	110-120	600±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: T30/T10 9"

SIZE:
H= 9"
D= 1.20"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LIT309-6-3000K	6	110-120	600±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LIT309-6-4000K	6	110-120	600±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: T30/T10 12"

SIZE:
H= 12"
D= 1.20"



ETA end of may 24

ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LIT3012-9-3000K	9	110-120	1000±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LIT3012-9-4000K	9	110-120	1000±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: T45/T14

SIZE:
H=4.17"
D=1.81"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITT45-4-2700K	4	110-120	400±10%	E26	90+	YES	2700K	5YRS/ 25000HRS	CLEAR
LITT45-4-3000K	4	110-120	400±10%	E26	90+	YES	3000K	5YRS/ 25000HRS	CLEAR
LITT45-4-4000K	4	110-120	400±10%	E26	90+	YES	4000K	5YRS/ 25000HRS	CLEAR
LITT45-4-5000K	4	110-120	400±10%	E26	90+	YES	5000K	5YRS/ 25000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING .
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: G25/G80

SIZE:

H=3.14"
D=4.64"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG25-6-3000K	6	110-130	600±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITG25-6-4000K	6	110-130	600±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING.
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: G25/G80

SIZE:

H=3.14"
D=4.64"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG25-8-3000K	8	110-130	800±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITG25-8-4000K	8	110-130	800±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING.
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: G40/G125

SIZE:

H=4.25"
D=6.89"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG40-6-3000K	6	110-130	600±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITG40-6-4000K	6	110-130	600±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING.
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: SINGLE PACK

BULB TYPE: G40/G125

SIZE:

H=4.25"
D=6.89"



ORDER CODES	WATTS	VOLT	LUMENS	BASE	CRI	DIMMABLE	COLOR TEMPERATURE	WARRANTY	GLASS TYPE
LITG40-8-3000K	8	110-130	800±10%	E26	90+	YES	3000K	5YRS/ 20000HRS	CLEAR
LITG40-8-4000K	8	110-130	800±10%	E26	90+	YES	4000K	5YRS/ 20000HRS	CLEAR

- DIMMERS: LED DIMMERS ARE RECOMMENDED FOR OPTIMAL RESULTS. THE MINIMUM LOAD MAY AFFECT DIMMING.
- COMMERCIAL WARRANTY: 3YRS
- WARRANTY IS LIMITED TO PARTS ONLY.
- CASE QTY: 100 PCS
- BOX PACK: S NGL E PACK

BULB

CATALOGUE

2024
VOLUME 3.2



LitUp

lighting

5122 TimberLea Blvd
Mississauga, Ontario
L4W2S5
Canada

customerservice@lituplighting.ca

